

# G31 - CS5008, CS5009, CS5010, CS5011

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 08/07/2017

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

## **Product identifier**

Product form : Mixture

Product name : CS5008, CS5009, CS5010, CS5011

#### Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Supplemental Coolant Additive

#### Details of the supplier of the safety data sheet

**Baldwin Filters** 4400 E Highway 30 Kearney, NE 68847 - US T 800-822-5394

baldwin.info@parker.com - www.baldwinfilter.com

#### **Emergency telephone number**

**Emergency number** : 800-424-9300 Inside the U.S., Canada and the U.S. Virgin Islands

703-527-3887 Outside the U.S. (Collect calls accepted.)

### **SECTION 2: Hazards identification**

#### Classification of the substance or mixture

#### **GHS-US** classification

Skin Irrit. 2 H315

Eye Irrit. 2 H319 Skin Sens. 1 H317 Repr. 1B H360 Aquatic Acute 2 H401

Aquatic Chronic 3 H412

Full text of H statements: see section 16

### **Label elements**

#### **GHS-US** labeling





Hazard pictograms (GHS-US)

Precautionary statements (GHS-US)

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H315 - Causes skin irritation

H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation

H360 - May damage fertility or the unborn child

H401 - Toxic to aquatic life

H412 - Harmful to aquatic life with long lasting effects

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P264 - Wash hands, forearms and face thoroughly after handling

P272 - Contaminated work clothing must not be allowed out of the workplace

P273 - Avoid release to the environment P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302+P352 - If on skin: Wash with plenty of soap and water

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 - If exposed or concerned: Get medical advice/attention P332+P313 - If skin irritation occurs: Get medical advice/attention P333+P313 - If skin irritation or rash occurs: Get medical advice/attention

P337+P313 - If eye irritation persists: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse

P363 - Wash contaminated clothing before reuse

P405 - Store locked up

P501 - Dispose in a safe manner in accordance with local/national regulations

08/07/2017 G31 Page 1

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity (GHS-US)

3.79% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

| Name                            | Product identifier | %     | GHS-US classification   |
|---------------------------------|--------------------|-------|---|
| Sodium Nitrite                  | (CAS No) 7632-00-0 | 1 - 5 | Ox. Sol. 3, H272<br>Acute Tox. 3 (Oral), H301<br>Eye Irrit. 2A, H319<br>Aquatic Acute 1, H400   |
| Sodium Mercaptobenzothiazole    | (CAS No) 2492-26-4 | 1 - 5 | Met. Corr. 1, H290<br>Acute Tox. 4 (Oral), H302<br>Skin Corr. 1B, H314<br>Skin Sens. 1B, H317<br>Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410 |
| Disodium Tetraborate, Anhydrous | (CAS No) 1330-43-4 | < 1   | Eye Irrit. 2, H319<br>Repr. 1B, H360  |

Full text of H-phrases: see section 16

#### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If exposed or concerned: Get

medical advice/attention.

First-aid measures after inhalation : Allow victim to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Wash with plenty of soap and water. Wash contaminated closing before reuse. If skin irritation occurs:

Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : May damage fertility or the unborn child.

Symptoms/effects after inhalation : May cause an allergic skin reaction.

Symptoms/effects after skin contact : Causes skin irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

No additional information available.

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

#### SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

08/07/2017 G31 2/10

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling

: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to preventformation of vapor. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use.

Hygiene measures

: Wash hands, forearms and face thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep only in the original container in a cool, well-ventilated place. Keep container closed when

not in use.

Incompatible products
Incompatible materials

: Strong bases. Strong acids.: Sources of ignition. Direct sunlight.

#### 7.3. Specific end use(s)

No additional information available

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

| TR84718 - Liquid |                |
|------------------|----------------|
| ACGIH            | Not applicable |
| OSHA             | Not applicable |

| Sodium Nitrite (7632-00-0) |                |
|----------------------------|----------------|
| ACGIH                      | Not applicable |
| OSHA                       | Not applicable |

| Sodium Mercaptobenzothiazole (2492-26-4) |                |
|--|----------------|
| ACGIH                                    | Not applicable |
| OSHA                                     | Not applicable |

| Disodium Tetraborate, Anhydrous (1330-43-4) |                    |  |
|---|--------------------|--|
| ACGIH                                       | ACGIH TWA (mg/m³)  | 2 mg/m³ (inhalable particulate matter) |
| ACGIH                                       | ACGIH STEL (mg/m³) | 6 mg/m³ (inhalable particulate matter) |
| OSHA  | Not applicable     |  |

#### 8.2. Exposure controls

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves/protective clothing/eye protection/face protection.

Eye protection : Chemical goggles or safety glasses.
Skin and body protection : Wear suitable protective clothing.

Respiratory protection : Use a properly fitted, particulate filter respirator complying with an approved standard if a risk

assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Other information : Do not eat, drink or smoke during use.

08/07/2017 G31 3/10

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Color : red
Odor : mild

Odor threshold : No data available pH : 10.8 - 11.8

Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available

Freezing point : -3 °C

Boiling point : No data available
Flash point : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : No data available

Vapor pressure : 2.4 kPa Relative vapor density at 20 °C : ≤1

Relative density No data available Density : 1.042 - 1.064 g/ml Solubility Water: 100 % Log Pow No data available No data available Log Kow No data available Viscosity, kinematic Viscosity, dynamic : No data available Explosive properties : No data available Oxidizing properties No data available **Explosive limits** : No data available

### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No additional information available.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

None under normal use.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

#### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

Fume. Carbon monoxide. Carbon dioxide.

08/07/2017 G31 4/10

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

| Sodium Nitrite (7632-00-0) |                         |
|----------------------------|-------------------------|
| LD50 oral rat              | 85 mg/kg                |
| LC50 inhalation rat (mg/l) | 5.5 mg/l/4h             |
| ATE US (oral)              | 85.000 mg/kg bodyweight |
| ATE US (vapors)            | 5.500 mg/l/4h           |
| ATE US (dust, mist)        | 5.500 mg/l/4h           |

| Sodium Mercaptobenzothiazole (2492-26-4) |                                |
|--|--------------------------------|
| LD50 oral rat                            | 1476 mg/kg                     |
| LD50 dermal rabbit                       | > 7940 mg/kg                   |
| LC50 inhalation rat (mg/l)               | > 8.2 mg/l (Exposure time: 6h) |
| ATE US (oral)                            | 1476.000 mg/kg bodyweight      |

| Disodium Tetraborate, Anhydrous (1330-43-4) |                           |
|---|---------------------------|
| LD50 oral rat                               | 2660 mg/kg                |
| LD50 dermal rabbit                          | > 2000 mg/kg              |
| ATE US (oral)                               | 2660.000 mg/kg bodyweight |

Skin corrosion/irritation : Causes skin irritation

pH: 10.8 - 11.8

Serious eye damage/irritation : Causes serious eye irritation

pH: 10.8 - 11.8

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : May damage fertility or the unborn child.

STOT-single exposure : Not classified STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Potential adverse human health effects

and symptoms

: Based on available data, the classification criteria are not met.

Symptoms/effects after inhalation : May cause an allergic skin reaction.

Symptoms/effects after skin contact : Causes skin irritation.

08/07/2017 G31 5/10

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## SECTION 12: Ecological information

## 12.1. Toxicity

Ecology - water : Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

| Sodium Nitrite (7632-00-0) |   |
|----------------------------|---|
| LC50 fishes 1              | 0.19 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])         |
| LC50 fish 2                | 0.092 - 0.13 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through]) |

| Sodium Mercaptobenzothiazole (2492-26-4) |  |
|--|--|
| LC50 fishes 1                            | 0.3 - 1.1 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static]) |
| EC50 Daphnia 1                           | 1.9 - 5.1 mg/l (Exposure time: 48 h - Species: Daphnia magna[Static])        |
| LC50 fish 2                              | 3.8 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])       |

| Disodium Tetraborate, Anhydrous (1330-43-4) |   |
|---|---|
| LC50 fish 1                                 | 340 mg/l (Exposure time: 96 h - Species: Limanda limanda)       |
| EC50 Daphnia 1                              | 1085 - 1402 mg/l (Exposure time: 48 h - Species: Daphnia magna) |

#### 12.2. Persistence and degradability

| TR84718 - Liquid              |   |
|-------------------------------|---|
| Persistence and degradability | May cause long-term adverse effects in the environment. |

### 12.3. Bioaccumulative potential

| 12.3. Bioaccumulative potential             |                                  |  |
|---|----------------------------------|--|
| TR84718 - Liquid                            |                                  |  |
| Bioaccumulative potential                   | Not established.                 |  |
| Sodium Nitrite (7632-00-0)                  |                                  |  |
| Log Pow                                     | -3.7 (at 25 °C)                  |  |
| Sodium Mercaptobenzothiazole (2492-26-4)    |                                  |  |
| Log Pow                                     | -0.46                            |  |
| Disodium Tetraborate, Anhydrous (1330-43-4) |                                  |  |
| BCF fish 1                                  | (no evidence of bioaccumulation) |  |

### 12.4. Mobility in soil

No additional information available

#### 2.5. Other adverse effects

Effect on the global warming : No known effects from this product.

Other information : Avoid release to the environment.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

## **SECTION 14: Transport information**

UN-No.(DOT) : UN3082
UN-No. (IMDG) : Non Regulated

UN-No.(IATA) : Non Regulated

08/07/2017 G31 6/10

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations 14.2. UN proper shipping name

: Environmentally Hazardous Substances, Liquid, N.O.S. Proper Shipping Name (DOT)

(Sodium Nitrite) RQ of 2400 lb

Proper Shipping Name (IMDG) : Non-Regulated

Proper Shipping Name (IATA) : Non-Regulated

### Transport hazard class(es)

Department of Transportation (DOT) Hazard

Classes

: 9 - Class 9 (Miscellaneous dangerous materials)

Hazard labels (DOT)

Transport hazard class(es) (IMDG) : Not applicable

Transport hazard class(es) (IATA) : Not applicable

#### 14.4. Packing group

Packing group (DOT) : III

Packing group (IMDG) : Not applicable

Packing group (IATA) : Not applicable

#### 14.5. **Environmental hazards**

Marine pollutant(DOT) : No Marine pollutant(IMDG) : No Marine pollutant(IATA) : No

08/07/2017 G31 7/10

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

| Sodium Nitrite  | CAS No 7632-00-0 | 1 – 5% |
|-----------------|------------------|--------|
| Phenolphthalein | CAS No 77-09-8   | < 1%   |

| Sodium Nitrite (7632-00-0)  |  |  |
|---|--|--|
| Subject to reporting requirements of United States SARA Section 313 |  |  |
| EPA TSCA Regulatory Flag  | S - S - indicates a substance that is identified in a proposed or final Significant New Uses Rule. |  |
| CERCLA RQ   | 100 lb   |  |
| SARA Section 313 - Emission Reporting                               | 1 %  |  |

| Sodium Polyacrylate (9003-04-7) |  |
|---------------------------------|--|
| EPA TSCA Regulatory Flag        | XU – XU – indicates a substance exempt from reporting under the Inventory Update Reporting Rule, i.e., Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(C)). |

| Phenolphthalein (77-09-8)   |  |
|---|--|
| Subject to reporting requirements of United States SARA Section 313 |  |
| SARA Section 313 - Emission Reporting 0.1 %                         |  |

#### 15.2. International regulations

#### **CANADA**

## Sodium Nitrite (7632-00-0)

Listed on the Canadian DSL (Domestic Substances List)

### Sodium Mercaptobenzothiazole (2492-26-4)

Listed on the Canadian DSL (Domestic Substances List)

### Disodium tetraborate, anhydrous (1330-43-4)

Listed on the Canadian DSL (Domestic Substances List)

#### 15.3. US State regulations

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer and/or reproductive harm.

| Phenolphthalein (77-09-8                                 | 3)   |   |   |                                |
|--|--|---|---|--------------------------------|
| U.S California -<br>Proposition 65 -<br>Carcinogens List | U.S California -<br>Proposition 65 -<br>Developmental Toxicity | U.S California -<br>Proposition 65 -<br>Reproductive Toxicity -<br>Female | U.S California -<br>Proposition 65 -<br>Reproductive Toxicity -<br>Male | No significance risk<br>(NSRL) |
| Yes  | No   | No  | No  |                                |

08/07/2017 G31 8/10

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## SECTION 16: Other information

Revision date : 08-07-2017

Abbreviations and acronyms : Acute Toxicity Estimate. Bioconcentration factor. Median Effective concentration.

International Air Transport Association. International Maritime Dangerous Goods.

Median lethal concentration. Median lethal dose.

Other information : None.

Full text of H-phrases :

| H272 | May intensify fire; oxidizer                         |  |
|------|--|--|
| H290 | May be corrosive to metals                           |  |
| H301 | Toxic if swallowed                                   |  |
| H302 | Harmful if swallowed                                 |  |
| H314 | Causes severe skin burns and eye damage              |  |
| H315 | Causes skin irritation                               |  |
| H317 | May cause an allergic skin reaction                  |  |
| H319 | Causes serious eye irritation                        |  |
| H360 | May damage fertility or the unborn child             |  |
| H400 | Very toxic to aquatic life                           |  |
| H401 | Toxic to aquatic life                                |  |
| H410 | Very toxic to aquatic life with long lasting effects |  |
| H412 | Harmful to aquatic life with long lasting effects    |  |

NFPA health hazard : 3 – Materials that, under emergency conditions, can cause serious

or permanent injury.

NFPA fire hazard : 0 - Materials that will not burn under typical dire conditions, including

intrinsically noncombustible materials such as concrete, stone

and sand.

NFPA reactivity : 0 – Material that in themselves are normally stable, even under fire

conditions.

NFPA specific hazard : NA – Not Applicable

HMIS III Rating

Health : 3 – Serious Hazard – Major injury likely unless prompt action is taken and medical treatment

is given.

Flammability : 0 – Minimal Hazard Physical : 0 – Minimal Hazard

Personal Protection : C

Baldwin Filters SDS

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

08/07/2017 G31 9/10

